

production
sale
service



quality
accuracy



calibration



Pro Export Plus

V Korytech 3234/18a
Praha 10 100 00
Czech Republic
proexport@proexport.cz

2023



Pro Export Plus

V Korytech 3234/18a
Praha 10 100 00
Czech Republic
proexport@proexport.cz

CONTENT

History of KMITEX	3
Rules, straight edges, surface plates	4
Gauges, magnifying glasses, protractors	10
Stands, indicators, support props	18
Depth calipers, firm joint calipers	23
Marking gauges, height gauges, scribes, pens	25
Tap holders, die holders	31
Squares ČSN and DIN, triangles	33
Spirit levels – workshop, bricklayers	41
Precision levels	47
Calipers	49
Micrometers	61
Folding rules, measuring tapes, long tapes	73
Others	78
Levels	79
Gauges	80



HISTORY AND PRESENT OF **KMITEX**

Since **1995**



We are concerned with manufacture, sale, servicing and calibration of measuring devices and instruments. Our time comes when the eyes are not enough. Where fractions of a millimetre are crucial to the function, safety and effectiveness of production. Perfection has been our mission since 1995.

Since then we have managed to establish an extensive network of business partners in the Czech Republic, in Europe and worldwide and we also work with other major manufacturers and suppliers of measuring devices.

You can find the company's headquarters in Stehelčevy, but you can also place orders for measuring devices with calibration and other services at our branch in Prague. We have a manufacturing complex in Byteč by the Czech-Slovak borders. Our employees are prepared to help you choose an appropriate measuring device and individual custom-made instruments are also not a problem.

Tradition and quality

Při výrobě využíváme osvědčené technologie a postupy, které zaručují kvalitu a maximální accuracy měřicích nástrojů. Naši zaměstnanci působí v oboru mnohdy již desítky let. Kombinace jejich umu a moderních technologií jsou důvodem, proč naše výrobky patří k naprosté špičce.

Servicing and calibration

Servicing and calibration of measuring devices is the foundation of our activities. We believe in the quality of our products and so we provide warranty and post-warranty servicing for KMITEX meters and gauges. We are also prepared to custom make non-standard measuring devices. We calibrate measuring devices in a certified laboratory and the issued calibration protocols are valid throughout the EU.





K Rules, straight edges, surface plates

Steel ruler with mm graduation ČSN 25 1110

1001		code		dimensions mm	accuracy class	calibration price EUR	base price EUR
		1001		500x32x6	2		
		1002		1000x40x8	2		
		1003		1500x40x8	2		
		1004*		2000x50x10	2		

Stainless steel available upon request. *Non standard transport.

Bevelled steel ruler with mm graduation ČSN 25 1112

1007		code		dimensions mm	accuracy class	calibration price EUR	base price EUR
		1007		300x25x5	2		
		1008		500x25x5	2		
		1009		1000x32x6	2		
		1010		1500x32x6	2		
		1011*		2000x40x8	2		

*Non standard transport.

Aluminium bevelled ruler

1008.1		code		dimensions mm	accuracy class	calibration price EUR	base price EUR
		1008.1		500x50x5	4		
		1009.1		1000x50x5	4		

Steel ruler with mm graduation ČSN 25 1113

1012	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1012		500x25x5	2		
	1013		1000x32x6	2		
	1014		1500x32x6	2		
	1015*		2000x40x8	2		
	1015.3*		3000x40x8	DIN 866/B		
	1015.4*		4000x50x10	DIN 866/B		
	1015.5*		5000x60x12	DIN 866/B		

Stainless steel available upon request. *Non standard transport.

Flexible steel ruler - INOX, PN 25 1124

1017	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1017		300x13x0,5	2		
	1018		500x15x0,5	2		
	1019		1000x20x0,5	2		
	1020		1500x20x1,2	2		
	1021*		2000x20x1,2	2		

*Non standard transport.

Flexible steel ruler, stainless steel, EC-II. class, right-left scale

1021.3	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1021.3 NEW		300x13x0,5	2		
	1021.4 NEW		500x18x0,5	2		
	1021.5 NEW		1000x18x0,5	2		

Steel ruler - INOX, PN 25 1125

1022	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1022.0		150x13x0,5	2		
	1022.1		200x13x0,5	2		
	1022		300x25x1,0	2		
	1023		500x30x1,0	2		
	1024		1000x38x1,8	2		
	1025		1500x38x1,8	2		
	1026*		2000x40x2,0	2		

*Non standard transport.

Steel ruler, vertical graduation ČSN 25 1127

1027

	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1027		500x40x5	2		
	1028		1000x40x5	2		

Precision straight edge PN 25 5110

1029

	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1029		500x40x8	2		
	1030		1000x60x12	2		
	1031		1500x70x14	2		
	1032*		2000x80x15	2		
	1032.1*		2500x80x15	2		

*Non standard transport.

Precision straight edge PN 25 5110

1035

	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1035		500x40x8	4		
	1036		1000x40x8	4		
	1037		1500x50x10	4		
	1038*		2000x60x12	4		
	1038.1*		2500x60x12	4		

*Non standard transport.

Knife edge straight edge, DIN 874 INOX

1062.1

	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1061.1		75	00		
	1062.1		100	00		
	1063.1		125	00		
	1064.1		150	00		
	1065.1		200	00		
	1066.1		300	00		
	1067.1		400	00		
	1068.1		500	00		
	1069.1		600	00		
	1069.2		800	00		
	1069.3		1000	00		

Granite surface plate, DIN 876

1041.0 	code	weight kg	dimensions mm	accuracy class	calibration price EUR	base price EUR
	1041.0	21	300x300x70	0		
	1041.1	50	400x400x100	0		
	1041.2	80	630x400x100	0		
	1041.28	150	800x600x100	0		
	1041.3	300	1000x630x150	0		
	1041.4	450	1200x800x150	0		
	1041.5	1000	1600x1000x200	0		
	1041.5.1	1550	2000x1000x250	0		
	1041.6	2900	2000x1600x300	0		
	1041.7	3700	2500x1600x300	0		

Another dimensions granite plates upon request. Non standard transport.

Granite surface plate stands

1041.30 	code		dimensions mm	size in mm	calibration price EUR	base price EUR
	1041.10*	for dimension	400x400x100	550x355x700		
	1041.20*	for dimension	630x400x100	550x355x700		
	1041.281*	for dimension	800x600x100	550x355x700		
	1041.30	for dimension	1000x630x150	750x530x700		
	1041.41	for dimension	1200x800x150	750x530x700		
	1041.51	for dimension	1600x1000x200	1050x750x700		

Other dimension upon request. * Non standard transport.

Cast iron surface plates, DIN 876

1042.0 	code	weight kg	dimensions mm		calibration price EUR	base price EUR
	1042	30	300x300x65			
	1042.0	35	400x400x65			
	1042.1	45	600x500x75			
	1042.2	80	800x600x85			
	1042.3	170	1000x800x100			
	1042.4	210	1200x800x110			
	1042.5	470	1600x1000x170			
	1042.6	550	2000x1000x180			
	1042.7	1 400	2500x1600x250			

Another dimensions of cast iron plates upon request, non standard transport.

Cast iron plate stand

1041.15 	code		dimensions mm	dimensions mm	calibration price EUR	base price EUR
	1041.15		600x450	600x500x600		
	1041.25		800x600	800x600x600		
	1041.35		1000x800	1000x800x600		
	1041.45		1200x800	1200x800x600		
	1041.55		1600x1000	1640x1040x600		
	1041.65		2000x1000	2040x1040x600		
	1041.75		2500x1600	2540x1640x600		

*Non standard transport.

Cleaning gel for granite plate

1041.99 	code		package		calibration price EUR	base price EUR
	1041.99		500 ml			

Granite square, DIN 875 / 00

1043.10 	code		dimensions mm	accuracy class	calibration price EUR	base price EUR
	1043.10		100x63x16	00		
	1043.11		160x100x20	00		
	1043.12		250x160x25	00		
	1043.13		400x250x40	00		
	1043.14		630x400x63	00		
	1043.15		1000x630x80	00		

*Non standard transport.

Granite square, DIN 875 / 00

1043.23 	code		dimensions mm	specification	calibration price EUR	base price EUR
	1043.20		100x100x20	00		
	1043.21		160x160x25	00		
	1043.22		200x200x25	00		
	1043.23		250x250x30	00		
	1043.24		300x300x30	00		
	1043.25		400x400x40	00		
	1043.26		500x500x50	00		
	1043.27		630x630x60	00		

*Non standard transport.

Granite rulers, DIN 874 / 00

1043.40 	code		dimensions mm	specification	calibration price EUR	base price EUR
	1043.40		150x25x20	00		
	1043.41		300x50x25	00		
	1043.42		400x60x25	00		
	1043.43		630x100x35	00		
	1043.44		1000x160x50	00		

*Non standard transport.

Cast iron straightedge

1042.050 	code		dimensions mm	specification	calibration price EUR	base price EUR
	1042.050		500x40	15 µm		
	1042.075		750x50	18 µm		
	1042.100		1000x50	20 µm		
	1042.120		1200x50	20 µm		
	1042.150		1500x60	25 µm		
	1042.200		2000x70	30 µm		

*Non standard transport.

Wooden ruler

1070 	code		dimensions mm		calibration price EUR	base price EUR
	1070		500x30x3			
	1071		1000x50x5			





Gauges, magnifying glasses, protractors

Steel gauge block set, DIN 861/1

1046.0		code	specification	quantity of gauges	accuracy class	calibration price EUR	base price EUR
		1046.0	steel	38 pc	DIN 861/1		
		1046.1	steel	47 pc	DIN 861/1		
		1046.2	steel	83 pc	DIN 861/1		
		1046.3	steel	87 pc	DIN 861/1		
		1046.4	steel	103 pc	DIN 861/1		
		1046.5	steel	112 pc	DIN 861/1		
		1046.6	steel	122 pc	DIN 861/1		

Block of different dimensions and at any precision are available on request. Manufacturers certificate included.

Steel gauge block DIN EN ISO 3650

1048.002		Code	dimensions mm	accuracy class	calibration price EUR	base price EUR
		1048.002	1	1	69	365
		1048.173	5	1	69	365
		1048.183	10	1	69	365
		1048.193	15	1	69	365
		1048.203	20	1	69	365
		1048.213	25	1	69	365
		1048.214	30	1	69	562
		1048.215	35	1	69	562
		1048.216	40	1	69	562
		1048.217	45	1	69	562
		1048.218	50	1	69	562
		1048.220	60	1	69	674
		1048.222	70	1	69	674
		1048.224	80	1	69	786
		1048.226	90	1	69	842
		1048.227	100	1	69	898
		1048.231	200	1	305	3 145
		1048.232	300	1	305	4 773
		1048.233	400	1	305	6 289
		1048.234	500	1	305	7 862
		1048.235	600	1	783	12 342
		1048.236	700	1	783	13 566
		1048.237	800	1	783	15 907
		1048.238	900	1	783	18 620
		1048.239	1000	1	783	21 280

Steel pin gauge set

1047.5x



code	range	quantity of gauges	accuracy class	calibration price EUR	base price EUR
1047.50	0.3-1.0	71 pc	2 µm		
1047.55	0.3-3.0	28 pc	2 µm		
1047.60	0.3-5.0	48 pc	2 µm		
1047.65	1.0-5.0	41 pc	2 µm		
1047.66	1.01-2.0	100 pc	2 µm		
1047.67	2.01-3.0	100 pc	2 µm		
1047.68	3.01-4.0	100 pc	2 µm		
1047.69	4.01-5.0	100 pc	2 µm		
1047.70	5.01-6.0	100 pc	2 µm		
1047.71	6.01-7.0	100 pc	2 µm		
1047.72	7.01-8.0	100 pc	2 µm		
1047.73	8.01-9.0	100 pc	2 µm		
1047.74	9.01-10.0	100 pc	2 µm		

Separate pin gauges upon request.

Brinell magnifying glass - NEW TYPE

1094.6



code	zoom	reading mm	calibration price EUR	base price EUR
1094.008	x8	0,1		
1094.010	x10	0,1		
1094.012	x12	0,05		

Watch magnifier

1094.1.003



code	zoom	calibration price EUR	base price EUR
1094.1.003 NEW	x3		
1094.1.005 NEW	x5		
1094.1.007 NEW	x7		
1094.1.010 NEW	x10		

Hardness Poldi - Tester

1095.1



code	specification	calibration price EUR	base price EUR
1095.1	HB hardness		

Spare testing bars upon request.

Hardness tester

1095.2



code	range	specification	calibration price EUR	base price EUR
1095.2	170-960 HLD	LEEB		

Universal bevel protractor with magnifying glass, with 4 rules (80, 150, 200 and 300 mm) PN 25 1624

1093		code	reading	range		calibration price EUR	base price EUR
		1093	5'	0-360°			

Dial universal bevel protractor with 4 rules (80, 150, 200 a 300 mm) PN 25 1624

1093.1		code	reading	range		calibration price EUR	base price EUR
		1093.1	5'	0-360°			

Digital bevel protractor with 4 rules (80, 150, 200 a 300 mm)

1093.20		code	reading	range	accuracy	calibration price EUR	base price EUR
		1093.20	10"	0-360°	+5'/+0,08°		

Protractor 0-180° PN 25 1613

1089		code		dimensions mm		calibration price EUR	base price EUR
		1089		120x200			
		1089.10		150x270			
		1090		200x290			
		1091		200x400			
		1090.10		210x393			
		1090.12		315x650			

Protractor for carpenters

1093.10		code	reading	dimensions mm		calibration price EUR	base price EUR
		1093.10	1°	500x500			

Digital protractor

1092.2		code	reading	dimensions mm	accuracy	calibration price EUR	base price EUR
		1092.2	30''	254x254			
1092.200		1092.200	0,05°	200x200	0,2°		
		1092.300	0,05°	300x300	0,2°		

Wooden protractor

9002.1		code	reading	dimensions mm		calibration price EUR	base price EUR
		9002.1	0-340°	300			
		9002.2	0-340°	500			

Steel protractor - zinc

9002.200 	code		dimensions mm		calibration price EUR	base price EUR
	9002.200		200			
	9002.250		250			
	9002.300		300			
	9002.400		400			

Wooden angle holder

9001 	code		dimensions mm		calibration price EUR	base price EUR
	9001.2		250x57x40			

Digital tyre gauge

1119.10 	code	specification reading		accuracy	calibration price EUR	base price EUR
	1119.10	0-25 mm		±0.2 mm		

Welding gauge

1120.1 	code	specification reading	range mm	range	calibration price EUR	base price EUR
	1120.1	analog 0,1	60,70,80,90°	0-20		
	1120.4	digital 0,01	60,70,80,90°	0-20		

Twist drill grinding gauge ČSN 25 3867, stainless steel

1121 	code	specification reading			calibration price EUR	base price EUR
	1121	40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140°				

Feeler gauge set PN 25 1670

1131 	code	range mm	length mm	quantity of blades	calibration price EUR	base price EUR
	1130	0,02 - 0,2	100	10		
	1131	0,05 - 1	100	20		
	1131.20	0,05 - 2,00	100	21		
	1132	0,05 - 1	200	20		

Separate blades available.

Feeler gauge set, DIN 2275N, stainless steel

1131.10 	code	range mm	length mm	quantity of blades	calibration price EUR	base price EUR
	1131.10	0,05-1	100	20		

Feeler gauge set, DIN 1544 F, nonmagnetic

1129		code	range mm	length mm	quantity of blades	calibration price EUR	base price EUR
		1129	0,05-1	100	20		

Measuring wedge

1127.2		code	range mm	length mm		calibration price EUR	base price EUR
		1127.2	0,5-15	0,1			

Feeler gauge tape

1134-0.01/D		code	thickness mm	dimensions mm		calibration price EUR	base price EUR
		1134-0.01/D	0,01	5000x13			
		1134-0.02/D	0,02	5000x13			
		1134-0.03/D	0,03	5000x13			
		1134-0.04/D	0,04	5000x13			
		1134-0.05/D	0,05	5000x13			
		1134-0.06/D	0,06	5000x13			
		1134-0.07/D	0,07	5000x13			
		1134-0.08/D	0,08	5000x13			
		1134-0.09/D	0,09	5000x13			
		1134-0.10/D	0,10	5000x13			
		1134-0.12/D	0,12	5000x13			
		1134-0.15/D	0,15	5000x13			
		1134-0.18/D	0,18	5000x13			
		1134-0.20/D	0,20	5000x13			
		1134-0.25/D	0,25	5000x13			
		1134-0.30/D	0,30	5000x13			
		1134-0.35/D	0,35	5000x13			
		1134-0.40/D	0,40	5000x13			
		1134-0.50/D	0,50	5000x13			
		1134-0.60/D	0,60	5000x13			
		1134-0.70/D	0,70	5000x13			
		1134-0.80/D	0,80	5000x13			
		1134-0.90/D	0,90	5000x13			
		1134-1.00/D	1,00	5000x13			

Feeler gauge tape - set (330 x 100 x 110 mm)

1134		code	range - thickness mm	dimensions mm	quantity of gauges	calibration price EUR	base price EUR
		1134	0.01 - 0,25mm	5000x13	15		

Content: 0,01/0,02/0,03/0,04/0,05/0,06/0,07/0,08/0,09/0,10/0,12/0,15/0,18/0,20/0,25

Welding gauge

1120.2		code	specification			calibration price EUR	base price EUR
		1120.2		55 and 60			
1120.3		1120.3	welds and angles Cambridge				
		1120.5	welding gauge	3-12 mm			
1120.6		1120.6	welding gauge, type DBP	3 scales			
		1120.7	welding gauge, type DBP	3 + 1 minus scale			

Gauge for Whitworth thread 55°

1122		code				calibration price EUR	base price EUR
		1122					



Screw pitch gauge metric 60°

1123		code				calibration price EUR	base price EUR
		1123					

Gauge for trapez thread 2-12mm, 30°

1124		code				calibration price EUR	base price EUR
		1124					

Gauge for twist drills 55° and 60°

1125		code				calibration price EUR	base price EUR
		1125					

Universal gauge for all possible angled and square threads

1126		code	specification			calibration price EUR	base price EUR
		1126	universal				
		1127	turning tools				

Angle gauge

1128		code	specification			calibration price EUR	base price EUR
		1128	1°-45°				

Radius gauge set ČSN 25 3816

1140		code	range	quantity of blades		calibration price EUR	base price EUR
		1140	1-7	34 pc			
		1141	7,5-15	32 pc			
		1142	15,5-25	30 pc			

Screw pitch gauge ČSN 25 4620 – Metric, ČSN 25 4621 – Whitworth

1146		code	range	quantity of blades		calibration price EUR	base price EUR
		1146	0,4-7	20 pc	Metric		
		1147	4-62	28 pc	Whitworth + G		
		1148	0,25-62	52 pc	Whit. + Metr. + G		

Thread pitch gauges UNC/UNF

1149		code	range	quantity of blades		calibration price EUR	base price EUR
		1149 NEW	4; 4,5; 5,5; 6; 7; 8; 9; 10; 11; 11,5; 12; 13; 14; 15; 16; 18; 20; 22; 24; 26; 27; 28; 30; 32; 34; 36; 38; 40; 42	30			





Bases, indicators, support props

Magnetic base UMAG PN 25 1858.1

1150		code	specification	length mm	work magnetic force (N)	calibration price EUR	base price EUR
		1150	wooden box	160	294		
		1150.4	paper box	160	294		
		1150.9	side clamping	160	294		

Magnetic base with central locking PN 25 1858.1

1150.5		code	specification	length mm	work magnetic force (N)	calibration price EUR	base price EUR
		1150.5	large	160	294		
		1150.6	econom	160	294		
		1150.7	elastic	360	294		

Magnetic base PN 25 1858.2

1151		code		length mm	work magnetic force (N)	calibration price EUR	base price EUR
		1151		190	800		

Dial gauge base PN 25 1867

1152		code	specification	length mm		calibration price EUR	base price EUR
		1152	chuck diameter 6 mm	180			

Dial gauge base PN 25 1857

1153		code		length mm		calibration price EUR	base price EUR
		1153		300			

Vacuum base

1154		code		length mm		calibration price EUR	base price EUR
		1154		200			

Granite stand

1154.250		Code		dimensions mm		calibration price EUR	base price EUR
		1154.250		250x150x50/160mm			
		1154.350	central locking	250x150x50/160mm			

Holder for micrometer

1160		code				calibration price EUR	base price EUR
		1160					

Dial indicator ČSN EN ISO 46325 (ČSN 25 1811) TOP QUALITY

1155.10		code	specification mm	reading mm	diameter mm	calibration price EUR	base price EUR
		1155.10	0-10	0,01	60		

Dial indicator ČSN EN ISO 46325 (ČSN 25 1811, ČSN 25 1816)

1155		code	specification mm	reading mm	diameter mm	calibration price EUR	base price EUR
		1155	0-10	0,01	60		
		1155.3	0-1	0,001	60		
		1155.3.40	0-1	0,001	40		
		1155.1	0-25	0,01	60		
		1155.2	0-30	0,01	60		
		1155.12	0-30	0,01	60		
		1158	0-5	0,01	40		
		1158.3	0-3	0,01	40		
		1159	0-3	0,01	60		

Dial indicator SHOCKPROOF

1157		code	specification mm	reading mm	diameter mm	calibration price EUR	base price EUR
		1157	0-10	0,01	60		

Dial indicator SHOCK PROOF, WATER PROOF, DUST PROOF

1157.1.10 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1157.1.05	0-5	0,01	55		
	1157.1.10	0-10	0,01	55		

Digital indicator

1155.5 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.5	0-12,7	0,01	55		
	1155.6	0-12,7	0,001	55		

Digital indicator with data output, rotate indicator, PROFESSIONAL, IP 54

1155.5.10 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.5.10	0-12,7	0,01	60		
	1155.6.10	0-12,7	0,001	60		

Digital indicator, Bluetooth, PROFESSIONAL

1155.5.20 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.5.20	0-12,7	0,01	60		
	1155.6.20	0-12,7	0,001	60		

Digital indicator, IP 65

1155.5.012 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.5.012	0-12,7	0,01	60		
	1155.5.025	0-25,4	0,01	60		
	1155.5.050	0-50,8	0,01	60		

Digital indicator, IP 65

1155.6.012 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.6.012	0-12,7	0,001	60		
	1155.6.025	0-25,4	0,001	60		
	1155.6.050	0-50,8	0,001	60		

Digital indicator, TolAlarm, IP 54

1155.7.012 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.7.012	0-12,5	0,01	60		
	1155.7.025	0-25	0,01	60		
	1155.7.050	0-50	0,01	60		

Digital indicator, TolAlarm, IP 54

1155.8.012 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.8.012	0-12,5	0,001	60		
	1155.8.025	0-25	0,001	60		
	1155.8.050	0-50	0,001	60		

Dial test indicator ČSN EN ISO 46325 (ČSN 25 1811) with lug

1155.4 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1155.4	0-10	0,01	60		

Dial test indicator ČSN EN ISO 46325 (ČSN 25 1820) - horizontal

1156 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1156	(+ -) 0,8	0,01	40		
	1156.3	(+ -) 0,8	0,01	33		
	1156.4	(+ -) 0,2	0,002	40		

Dial test indicator ČSN EN ISO 46325 (ČSN 25 1820) - vertical

1156.2 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1156.2	(+ -) 0,8	0,01	40		

Digital test indicator ČSN EN ISO 46325 (ČSN 25 1820) - horizontal

1156.5 	code	specification mm	reading in mm	diameter mm	calibration price EUR	base price EUR
	1156.5	(+ -) 0,5	0,01	40		

Probe tips for indicators

1155.7 	code	specification	quantity of tips		calibration price EUR	base price EUR
	1155.7	M 2,5 mm	22 pc			

Support props for general use ČSN 25 5546

3034 	code	specification	length mm		calibration price EUR	base price EUR
	3034	1 hlavice	63			

Support props for general use ČSN 25 5546-7 (ČSN 25 5548)

3035 	code	specification	length mm	capacity	calibration price EUR	base price EUR
	3035	sada hrotů	80	14000 N		
	3036	sada hrotů	145	45000 N		
	3037	sada hrotů	205	70000 N		





Vernier depth gauges, firm joint calipers

Vernier depth gauge ČSN 25 1282, DIN 862

2034 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2034	100	150	0,02		
	2035	100	200	0,02		
	2036	100	300	0,02		
	2037	150	500	0,02		
	2038	150	800	0,05		

Vernier depth gauge with hook ČSN 25 1282, DIN 862

2040 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2040	100	150	0,02		
	2041	100	200	0,02		
	2042	100	300	0,02		
	2042.2	100	500	0,02		
	2042.3	100	800	0,05		

Vernier depth gauge, offset anvil, DIN 862

2043.150 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2043.150	100	150	0,05		
	2043.200	100	200	0,05		
	2043.300	150	300	0,05		

Digital depth caliper, DIN 862

2047 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2047	100	150	0,01		
	2048	100	200	0,01		
	2049	100	300	0,01		
	2050	100	500	0,01		

Digital depth caliper, data output, ABS, PROFESSIONAL, DIN 862, IP54

2050.150 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2050.150	100	150	0,01		
	2050.200	100	200	0,01		
	2050.300	150	300	0,01		

Digital depth caliper, screwed nose, DIN 862

2051 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2051	100	150	0,01		
	2052	100	200	0,01		
	2052.1	100	300	0,01		
	2052.2	100	500	0,01		

Digital depth caliper with monobl. hook, DIN 862, data output, ABS, PROFESSIONAL, IP 54

2052.2.150 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2052.2.150	100	150	0,01		
	2052.2.200	100	200	0,01		
	2052.2.300	150	300	0,01		

Digital depth caliper nee, DIN 862, data output, ABS, PROFESSIONAL, IP 54

2054.2.150 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2054.2.150	100	150	0,01		
	2054.2.200	100	200	0,01		
	2054.2.300	150	300	0,01		

Digital depth caliper, DIN 862, IP 67

2055.150 	code	measuring bridge width in mm	length mm	reading in mm	calibration price EUR	base price EUR
	2055.150	100	150	0,01		
	2055.200	100	200	0,01		
	2055.300	150	300	0,01		



Marking gauges, height gauges, scribes, pens

Spring bow divider ČSN 25 5170

2070 	code	range mm	length mm		calibration price EUR	base price EUR
	2070	6 - 200	150			
	2071	10 - 300	200			
	2072	10 - 350	250			
	2073	10 - 450	300			

Marking gauge without graduation

2074 	2074.1	code	range mm	length mm		calibration price EUR	base price EUR
		2074	25 - 470	500			
		2074.1	extension	500			
		2075	25 - 960	1000			
		2075.1	extension	1000			

Beam trammel with graduation, fine adjustment, DIN 862

2078 	code		length mm	reading in mm	calibration price EUR	base price EUR
	2078		500	0,1		
	2078.1		1000	0,1		
	2078.2		1500	0,1		
	2078.3*		2000	0,1		

* Non standard transport.

Torque wrench

2080.005 	code	clamping dimension	range	accuracy	calibration price EUR	base price EUR
	2080.005	1/4"	1-5 Nm	4%		
	2080.025	3/8"	5-25 Nm	4%		
	2080.050	3/8"	10-50 Nm	4%		
	2080.100	1/2"	20-100 Nm	4%		
	2080.200	1/2"	40-200 Nm	4%		
	2080.300	1/2"	60-300 Nm	4%		
	2080.340	1/2"	70-340 Nm	4%		
	2080.500	3/4"	100-500 Nm	4%		
	2080.800	3/4"	160-800 Nm	4%		
	2080.1000	3/4"	200-1000 Nm	4%		



Scribing instrument ČSN 25 5314

3002		code		length mm		calibration price EUR	base price EUR
		3001		250			
		3002		400			

Height gauge

3013		code		length mm	reading in mm	calibration price EUR	base price EUR
		3013		200	0,02		
		3014		300	0,02		
		3015		500	0,02		
		3016		1000	0,02		

Calibration certificate included.

Digital height gauge

3022		code		length mm	reading in mm	calibration price EUR	base price EUR
		3022		200	0,01		
		3023		300	0,01		
		3024		500	0,01		
		3024.0		600	0,01		
		3024.1		1000	0,01		

Calibration certificate included.

Digital height gauge, DIN 862, ABS, data output, PROFESSIONAL, IP 54

3022.150		code		length mm	reading in mm	calibration price EUR	base price EUR
		3022.150		150	0,01		
		3022.200		200	0,01		
		3022.300		300	0,01		

Calibration certificate included.

Digital height gauge, DIN 862

3023.300 	code	reading	length mm	accuracy	calibration price EUR	base price EUR
	3023.300	0,01	300	0,04		
	3023.500	0,01	500	0,05		
	3023.600	0,01	600	0,05		

Calibration certificate included.

Scriber ČSN 25 5340.11

3025 	code		length mm		calibration price EUR	base price EUR
	3025		160			

Scriber ČSN 25 5340.21

3026 	code		length mm		calibration price EUR	base price EUR
	3026		160			

Scriber, carbide point

3025.2 	code	specification	length mm		calibration price EUR	base price EUR
	3025.2	with carbide tip	150			
3025.3 	3025.3	telescopic	142			
	3025.4	with removable tip	150			
3025.4 	3025.41	replacement needle tip	30			

Carbide scriber Professional

3026.30 	code		length mm		calibration price EUR	base price EUR
	3026.30		165			

Carpenter pencil

9030 	code	specification	length mm	tvrdost	calibration price EUR	base price EUR
	9030	type 1536	175	1		
	9031	type 1536	180	2		
	9033	type 1537	250	2		
	9035	type 1536	180	stone		
	9038	type 1561	180	glass, sh. metal		







Tap holders, die holders

Tap holder ČSN 24 1126

3040 	code		range mm	for taps	calibration price EUR	base price EUR
	3040		2-4,5	M2-M7		
	3042		3,55-9	M6-M14		
	3044		5,60-16	M9-M27		
	3045		3,15-6,3	M4-M11		
	3047		2,5-7,1	M3-M12		
	3048		14-31,5	M24-M52		

Tap holder, DIN 1814

3046.10 	code	type	range mm	for taps	calibration price EUR	base price EUR
	3046.10	0	2-5	M1-M8		
	3046.11	1	2,5-6	M3-M10		
	3046.12	2	3,5-7	M4-M12		
	3046.13	3	4,9-12	M5-M20		
	3046.14	4	5,5-16	M10-M27		
	3046.15	5	9-20	M14-M33		

Tap extension wrench

3049.10 	code		dimensions mm	length mm	calibration price EUR	base price EUR
	3049.10		3,15	90		
	3049.11		3,55	95		
	3049.12		4	100		
	3049.13		5	110		
	3049.14		5,6	115		
	3049.15		6,3	120		
	3049.16		7,1	125		
	3049.17		9	135		

Tap extension wrench, DIN 377

3050.10



code		diameter mm	dimensions mm	calibration price EUR	base price EUR
3050.10		2,1	60		
3050.11		2,4	70		
3050.12		2,7	80		
3050.13		3	90		
3050.14		3,4	95		
3050.15		3,8	100		
3050.16		4,3	105		
3050.17		4,9	110		
3050.18		5,5	115		
3050.19		6,2	120		
3050.20		8	130		
3050.21		10	140		
3050.22		11	150		
3050.23		12	155		
3050.24		13	165		
3050.25		14,5	175		
3050.26		16	185		
3050.27		20	210		
3050.28		22	220		

Die holder ČSN 24 1520

3052



code		diameter mm	for dies	calibration price EUR	base price EUR
3052		16	M1-M2,5		
3053		20	M3-M6		
3054		25	M7-M9		
3055		30	M10-M11		
3056		38	M12-M15		
3057		45	M16-M20		
3058		55	M22-M26		
3059		65	M27-M36		
3059.1		75	M39-M42		
3060		90	M45-M52		

Úhelníky ČSN a DIN

Knife edge square, E ČSN 25 5103

4001 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4001	6,3/10,3	63x35	+/- 15 µm		
	4002	14,5/10,5	100x63	+/- 15 µm		
	4003	20,5/18/12,4	160x100	+/- 15 µm		
	4004	20/20	200x130	+/- 15 µm		
	4005	20/20	250x160	+/- 15 µm		

Knife edge square, DIN 875

4001.1 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4000	3,7/3,7	25x20	00		
	4000.1	3,7/3,7	40x28	00		
	4001.1	4,7/4,7	75x50	00		
	4002.2	18,7/5,6	100x70	00		
	4002.3	6,7/6,7	150x100	00		
	4003.1	32,6/7,8	200x130	00		
	4003.2	8,6/8,6	250x160	00		



Acute angle flat square 45°, DIN 875

4006.100 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4006.100	5	100x70	2		
	4006.120	5	120x80	2		
	4006.150	5	150x100	2		
	4006.200	5	200x130	2		
	4006.250	5	250x160	2		
	4006.300	6	300x200	2		

Acute angle square 45° with base, DIN 875

4007.100 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4007.100	5	100x70	2		
	4007.120	5	120x80	2		
	4007.150	5	150x100	2		
	4007.200	5	200x130	2		
	4007.250	5	250x160	2		
	4007.300	6	300x200	2		

Carpenter square PN 25 5155

4028 	code	thickness mm	dimensions mm		calibration price EUR	base price EUR
	4028	1,4/5	400x230			
	4029	1,4/5	750x375			
	4030	1,4/5	1000x375			

Carpenter square, PN 25 5155.1, mm graduation

4028.1 	code	surface	dimensions mm		calibration price EUR	base price EUR
	4028.1	matný chrom	400x230			
	4029.1	matný chrom	750x375			
	4030.1	matný chrom	1000x375			

Carpenter square with base

4071.180 	code	material	dimensions mm		calibration price EUR	base price EUR
	4071.180	aluminium	180			

Workshop flat square PN 25 5120

4010 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4010	5	100x63	4		
	4011	5	160x100	4		
	4012	5	250x160	4		
	4013	6	400x250	4		
	4014	8	630x400	4		
	4015	8	750x375	4		
	4016	8	1000x500	4		

Workshop square with base PN 25 5124

4020 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4020	5	100x63	4		
	4021	5	160x100	4		
	4022	5	250x160	4		
	4023	6	400x250	4		
	4024	8	630x400	4		
	4025	8	750x375	4		
	4025.1	8	1000x500	4		

Square with hard and slim blade, DIN 875 / I.

4026.075 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4026.075		75X50	1		
	4026.100		100X70	1		
	4026.150		150x100	1		
	4026.200		200x130	1		
	4026.250		250x160	1		
	4026.300		300x175	1		
	4026.400		400x260	1		

Square with hard and slim blade, DIN 875 / II.

4027.100 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4027.075		75X50	2		
	4027.100		100X70	2		
	4027.150		150x100	2		
	4027.200		200x130	2		
	4027.250		250x160	2		
	4027.300		300x200	2		
	4027.400		400x260	2		

Zinc coated square with base

4020.30 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4020.30	20x5	100x70	dílenská		
	4020.31	20x5	150x100	dílenská		
	4020.32	20x5	200x130	dílenská		
	4020.33	25x5	250x160	dílenská		
	4020.34	25x5	300x180	dílenská		
	4020.35	30x5	400x230	dílenská		
	4020.36	30x5	500x280	dílenská		
	4020.37	30x5	600x330	dílenská		
	4020.38	30x5	750x375	dílenská		
	4020.39	30x5	1000x500	dílenská		

Manufacturer standard.

Precision flat square, ČSN 25 5103

4034 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4034	5	63x40	2		
	4035	5	100x63	2		
	4036	7	160x100	2		
	4037	7	250x160	2		
	4038	8	400x250	2		
	4039	12	630x400	2		
	4040	12	750x375	2		
	4041	12	1000x500	2		
	4042*	12	1500x750	2		
	4043*	12	2000x1000	2		

* Non standard transport.

Precision flat square, hardened „A“ ČSN 25 5103

4045 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4045	5	63x40	2		
	4046	5	100x63	2		
	4047	7	160x100	2		
	4048	7	250x160	2		

Precision square with base „Bu“ ČSN 25 5103

4051		code	thickness mm	reading in mm	accuracy	calibration price EUR	base price EUR
		4051	5	63x40	2		
		4052	5	100x63	2		
		4053	6	160x100	2		
		4054	7	250x160	2		
		4055	8	400x250	2		
		4056	12	630x400	2		
		4057	12	750x375	2		
		4057.1	12	1000x500	2		
		4057.2*	12	1500x750	2		
		4057.3*	12	2000x1000	2		

*Non standard transport.

Precision square with base, hardened „B“ ČSN 25 5103

4058		code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
		4058	6	63x40	2		
		4059	6	100x63	2		
		4060	6	160x100	2		
		4061	7	250x160	2		
		4061.1	7	400x250	2		

Precision flat square, DIN 875

4033.11		code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
		4033.10	5	75x50	0		
		4033.11	5	100x70	0		
		4033.12	5	150x100	0		
		4033.13	6	200x130	0		
		4033.14	7	250x160	0		
		4033.15	8	300x200	0		
		4033.16	10	400x265	0		
		4033.17	10	500x330	0		

Precision square with base, hardened „B“ ČSN 25 5103

4033.30		code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
		4033.30	5	75x50	0		
		4033.31	5	100x70	0		
		4033.32	5	150x100	0		
		4033.33	6	200x130	0		
		4033.34	7	250x160	0		
		4033.35	8	300x200	0		
		4033.36	10	400x265	0		
		4033.37	10	500x330	0		

Precision square with base, DIN 875

4034.11 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4034.10	5	75x50	1		
	4034.11	5	100x70	1		
	4034.12	7	150x100	1		
	4034.13	7	200x130	1		
	4034.14	7	250x160	1		
	4034.15	8	300x200	1		
	4034.16	10	400x265	1		
	4034.17	10	500x330	1		
	4034.18	12	600x300	1		
	4034.19	12	750x500	1		
	4034.20	12	1000x660	1		

Precision flat square, DIN 875

4051.10 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4051.10	5	75x50	1		
	4051.11	5	100x70	1		
	4051.12	5	150x100	1		
	4051.13	6	200x130	1		
	4051.14	7	250x160	1		
	4051.15	7	300x200	1		
	4051.16	10	400x265	1		
	4051.17	10	500x330	1		
	4051.18	12	600x300	1		
	4051.19	12	750x500	1		
	4051.20	12	1000x660	1		

Precision square with base, DIN 875

4053.11 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4053.10	5	75x50	2		
	4053.11	5	100x70	2		
	4053.12	5	150x100	2		
	4053.13	6	200x130	2		
	4053.14	7	250x160	2		
	4053.15	7	300x200	2		
	4053.16	7	400x265	2		
	4053.17	8	500x330	2		
	4053.18	8	600x300	2		

Precision square with base, DIN 875

4053.31 	code	thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4053.30	5	75x50	2		
	4053.31	5	100x70	2		
	4053.32	5	150x100	2		
	4053.33	5	200x130	2		
	4053.34	7	250x160	2		
	4053.35	7	300x200	2		
	4053.36	7	400x265	2		
	4053.37	8	500x330	2		
	4053.38	8	600x300	2		

Centre square

4062.1 	code		dimensions mm		calibration price EUR	base price EUR
	4062		100x70/90			
	4062.1		150x130/180			
	4062.2		200x150/210			
	4062.3		300x180/250			

Flange square

4063.10 	code	width x thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4063.10	30x5	300x300x65x105	2		
	4063.11	30x5	400x400x65x115	2		
	4063.12	30x5	500x500x70x125	2		
	4063.13	30x5	600x600x70x125	2		
	4063.14	30x5	800x800x95x135	2		

Wooden square hobby

4065.150 	code		dimensions mm		calibration price EUR	base price EUR
	4065.150		150x150x24			
	4065.250		250x150x24			
	4065.350		350x200x24			
	4065.750		750x400x35			



Precision flat square, DIN 875, INOX

4068.0075 	code	width x thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4068.0075	15x5	75x50	1		
	4068.0100	20x5	100x70	1		
	4068.0150	20x5	150x100	1		
	4068.0200	25x5	200x130	1		
	4068.0250	35x7	250x160	1		
	4068.0300	40x8	300x200	1		
	4068.0400	45x10	400x265	1		
	4068.0500	50x10	500x330	1		

Precision square with base, DIN 875, INOX

4069.0075 	code	width x thickness mm	dimensions mm	accuracy	calibration price EUR	base price EUR
	4069.0075	15x5	75x50	1		
	4069.0100	20x5	100x70	1		
	4069.0150	20x5	150x100	1		
	4069.0200	25x5	200x130	1		
	4069.0250	35x7	250x160	1		
	4069.0300	40x8	300x200	1		
	4069.0400	45x10	400x265	1		
	4069.0500	50x10	500x330	1		

Magnetic square

4070.10 	code		dimensions mm		calibration price EUR	base price EUR
	4070.10		82x120x13			
	4070.11		102x155x17			
	4070.12		122x190x25			
	4070.13		120x90x17			
	4070.14		120x32			



Spirit levels – workshop, bricklayers

Spirit level – ASSIST professional – magnet

5011.1



code		length mm	accuracy	calibration price EUR	base price EUR
5011.1 NEW		600	0,5mm/m		
5011.2 NEW		800	0,5mm/m		
5011.3 NEW		1000	0,5mm/m		
5011.5 NEW		1500	0,5mm/m		
5011.6* NEW		2000	0,5mm/m		

* Non standard transport.

Spirit level – professional LIBELLE with magnets

5013.0



code		length mm	accuracy	calibration price EUR	base price EUR
5013.0		400	0,5mm/m		
5013.1		600	0,5mm/m		
5013.2		800	0,5mm/m		
5013.3		1000	0,5mm/m		
5013.4		1200	0,5mm/m		
5013.5		1500	0,5mm/m		
5013.6		1800	0,5mm/m		
5013.7*		2000	0,5mm/m		

* Non standard transport.





Spirit level – professional LIBELLE without magnet

5014 	code		length mm	accuracy	calibration price EUR	base price EUR
	5014		300	0,5mm/m		
	5014.0		400	0,5mm/m		
	5014.1		600	0,5mm/m		
	5014.2		800	0,5mm/m		
	5014.3		1000	0,5mm/m		
	5014.4		1200	0,5mm/m		
	5014.5		1500	0,5mm/m		
	5014.6		1800	0,5mm/m		
	5014.7*		2000	0,5mm/m		

* Non standard transport.

Digital level

5017.0 	code	reading	length mm	accuracy	calibration price EUR	base price EUR
	5017.0	0,1°	150	(+/-0,15°)		

Spirit levels with magnets

5018.0 	code		length mm	accuracy	calibration price EUR	base price EUR
	5018.0		400	0,5mm/m		
	5018.1		600	0,5mm/m		
	5018.2		800	0,5mm/m		
	5018.3		1000	0,5mm/m		
	5018.4		1200	1mm/m		
	5018.5		1500	1mm/m		
	5018.6*		2000	1mm/m		

* Non standard transport.

Digital level with magnet, IP 65

5017.015		code	reading	length mm	accuracy	calibration price EUR	base price EUR
		5017.015	0,05°	150	(+/-0,15°)		

Digital level with magnets and cross laser

5015.0		code	reading	length mm	accuracy	calibration price EUR	base price EUR
		5015.0	0,05°	150	(+/-0,2°)		
		5015.1	0,05°	225	(+/-0,2°)		
		5015.2	0,05°	600	(+/-0,2°)		

Digital magnetic level KAPRO

5019.060		code	reading	length mm	accuracy	calibration price EUR	base price EUR
		5019.060	0,05°	600	(+/-0,1°)		
		5019.120	0,05°	1200	(+/-0,1°)		

Pocket digital level with magnet

5017.9		code	reading	dimensions mm	specification	calibration price EUR	base price EUR
		5017.8	0,1°	50x50	without vial		
		5017.9	0,1°	65x50	with vial		

Digital angle-sensor with LCD

5017.10		code	reading	dimensions mm	specification	calibration price EUR	base price EUR
		5017.10	0,1°	55x57			

Hose level

5036		code			specification	calibration price EUR	base price EUR
		5036		pair	plastic		
		5035.3		Set 10m			
		5035.4		Set 15m			

Set contains rubber hose, two hose levels and manual.

Plumb line

5036.11 	code	specification	length mm		calibration price EUR	base price EUR
	5036.11	magnetic	3m			
	5036.12	metal	6m			
	5036.13	metal	8m			

Spirit level for vertical and horizontal setting

5036.5 	code	specification			calibration price EUR	base price EUR
	5036.5	plastic				

Plastic vial

5022 	5022.1	code	specification	dimensions mm		calibration price EUR	base price EUR
	5022		with holder	65x15x20			
	5022.1			40x15x15			

Vial round aluminium with thread

5022.10 	code		dimensions mm		calibration price EUR	base price EUR
	5022.10		15x8			

Vial round aluminum

5022.11 	code		dimensions mm		calibration price EUR	base price EUR
	5022.11		25x9			

Vial round aluminum recessed

5022.12 	code		dimensions mm		calibration price EUR	base price EUR
	5022.12		25x18x10			

Vial round aluminum with possibility of fixing

5022.13 	code		dimensions mm		calibration price EUR	base price EUR
	5022.13		48x35x13			

Vial round aluminum with possibility of fixing

5022.14 	code		dimensions mm		calibration price EUR	base price EUR
	5022.14		55x40x12			

Vial round aluminum with possibility of fixing

5022.15		code	dimensions mm	calibration price EUR	base price EUR
		5022.15	80x62x15		

Vial round aluminum with possibility of fixing

5022.16		code	dimensions mm	calibration price EUR	base price EUR
		5022.16	100x75x20		

Vial round aluminum with possibility of fixing, black

5022.17		code	dimensions mm	calibration price EUR	base price EUR
		5022.17	80x35x18		





Longitudinal spirit level 0.02 mm ČSN 25 5727.1

5050 	code	accuracy 1 m	length mm		calibration price EUR	base price EUR
	5049	0,02mm	100x42x40			
	5050	0,02mm	150x42x40			
	5056	0,02mm	200x42x40			
	5062	0,02mm	250x42x40			
	5068	0,02mm	300x42x40			
	5074	0,02mm	400x42x40			

Supplied in luxury wooden case.

Longitudinal spirit level 0.02 ČSN 25 5727.1 magnetic

5075.150 	code	accuracy 1 m	length mm		calibration price EUR	base price EUR
	5075.100	0,02mm	100x42x40			
	5075.150	0,02mm	150x42x40			
	5075.200	0,02mm	200x42x40			
	5075.250	0,02mm	250x42x40			
	5075.300	0,02mm	300x42x40			
	5075.400	0,02mm	400x42x40			

Supplied in luxury wooden case.

Longitudinal spirit level 0.11-0.2 mm ČSN 25 5737.1

5081 	code	accuracy 1 m	length mm		calibration price EUR	base price EUR
	5080	0,11-0,2mm	100x100x25			
	5081	0,11-0,2mm	150x150x43			
	5082	0,11-0,2mm	200x200x43			
	5083	0,11-0,2mm	300x300x42			

Supplied in luxury wooden case.

Frame spirit level 0.02 mm ČSN 25 5739.1

5090 	code	accuracy 1 m	length mm		calibration price EUR	base price EUR
	5090	0,02mm	150x150x44			
	5096	0,02mm	200x200x44			
	5102	0,02mm	250x250x44			
	5108	0,02mm	300x300x44			

Supplied in luxury wooden case.

Frame spirit level 0.02 ČSN 25 5739.1 magnetic

5109.150



code	accuracy 1 m	length mm		calibration price EUR	base price EUR
5109.150	0,02mm	150x150x44			
5109.200	0,02mm	200x200x44			
5109.250	0,02mm	250x250x44			
5109.300	0,02mm	300x300x44			

Supplied in luxury wooden case.

Cross short level 0.11-0.2 mm ČSN 25 5726.1

5110



code	accuracy 1 m	length mm		calibration price EUR	base price EUR
5110	0,11-0,2mm	100x40x32			
5111	0,11-0,2mm	150x40x32			

Supplied in luxury wooden case.

Longitudinal spirit level, 0.11-0.2 mm ČSN 25 5721.1

5115



code	accuracy 1 m	length mm		calibration price EUR	base price EUR
5114	0,11-0,2mm	100x42x40			
5115	0,11-0,2mm	150x42x40			
5116	0,11-0,2mm	200x42x40			
5117	0,11-0,2mm	250x42x40			
5118	0,11-0,2mm	300x42x40			
5119	0,11-0,2mm	400x42x40			

Supplied in luxury wooden case.

Longitudinal spirit level 0.1 mm ČSN 25 5721/0,1mm

5121



code	accuracy 1 m	length mm		calibration price EUR	base price EUR
5120	0,1mm	100x42x40			
5121	0,1mm	150x42x40			
5122	0,1mm	200x42x40			
5123	0,1mm	250x42x40			
5124	0,1mm	300x42x40			

Supplied in luxury wooden case.

Forester caliper PN 25 1277

1161 	code	reading in mm	range / jaws mm		calibration price EUR	base price EUR
	1161	5	500/255			
	1162	5	800/410			
	1163	5	1000/410			

Vernier caliper with locking screw and depth rod, ČSN 25 1238, DIN 862

6000 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6000	0,02 mm	150/40	screwed nonius		
	6000.1	0,05 mm+inch	150/40	screwed nonius		
	6000.2	0,02 mm+inch	150/40	monoblock, INOX		
	6000.25	0,02 mm+inch	160/40	monoblock, INOX		
	6000.26	0,05 mm+inch	160/40	monoblock, INOX		

Vernier caliper with locking device and depth rod, ČSN 25 1238, DIN 862

6000.3 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6000.7	0,05 mm+inch	100/40	monoblock, INOX		
	6000.3	0,02 mm+inch	150/40	monoblock, INOX		
	6000.4	0,05 mm+inch	150/40	monoblock, INOX		
	6000.20	0,02 mm+inch	160/40	monoblock, INOX		
	6000.21	0,05 mm+inch	160/40	monoblock, INOX		

Vernier caliper with locking screw and depth rod, DIN 862, LEFT HAND

6000.5 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6000.5	0,05	150/40	monoblock, INOX		

Vernier caliper, stainless steel, monolit, ČSN 25 1238, DIN 862

6000.150 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6000.150 NEW	0,02 mm	150/40	monoblock, INOX		
	6000.200 NEW	0,02 mm	200/50	monoblock, INOX		
	6000.250 NEW	0,02 mm	250/55	monoblock, INOX		
	6000.300 NEW	0,02 mm	300/60	monoblock, INOX		



Vernier caliper with locking screw and depth rod, INOX, TOP QUALITY, ČSN 25 1238, DIN 862

6001.15 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6001.15	0,02mm + inch	150/40	screwed nonius, INOX		
	6001.20	0,02mm + inch	200/50	screwed nonius, INOX		
	6001.30	0,02mm + inch	300/55	screwed nonius, INOX		
	6001.40	0,02mm + inch	400/100	screwed nonius, INOX		

Vernier caliper with locking screw and depth rod ČSN 25 1238, DIN 862

6002		code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6002	0,02	200/50	screwed nonius		
		6003	0,02	300/55	screwed nonius		

Vernier caliper without depth rod, monolit, fine adjustment, INOX, DIN 862

6002.90		code	readingv mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6002.90	0,02	200/90	monolit		
		6002.91	0,02 + upper jaws	200/90	monolit		
		6003.90	0,02	300/90	monolit		
		6003.91	0,02 + upper jaws	300/90	monolit		

Vernier caliper without depth rod, monolit, fine adjustment, STAINLESS STEEL, DIN 862

6003.125		code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6002.125	0,02	200/125	monolit		
		6003.125	0,02	300/125	monolit		

Dial caliper with depth rod, ČSN 25 1235, DIN 862, SHOCKPROOF

6013		code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6013	0,02	150/40	INOX		
		6013.1	0,02	200/45	INOX		
		6013.2	0,02	300/55	INOX		

Marking caliper T - shape with fine adjustment

6004.16		code	reading in mm	range / jaws mm		calibration price EUR	base price EUR
		6004.16	0,05	160/135			
		6004.25	0,05	250/135			
		6004.30	0,05	300/160			
		6004.40	0,05	400/160			

Marking caliper

6005.10		code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6005.10	0,1	150/40	carbide tips		
		6005.15	0,1	200/40	carbide tips		
		6005.20	0,1	250/40	carbide tips		
		6005.25	0,1	300/40	carbide tips		

Marking caliper with carbide scriber, INOX

6005.50 	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6005.50	0,1	200/40	stainless steel		
	6005.55	0,1	400/40	stainless steel		
	6006.1			carbide		

Marking gauge - hardened, INOX

6006.20 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	6006.20	0,1	200	INOX		
	6006.25	0,1	250	INOX		
	6006.30	0,1	300	INOX		

Vernier caliper for internal grooves

6007.10 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	6007.10	0,02	10-160	internal		
	6007.20	0,02	20-200	internal		
	6007.30	0,02	30-300	internal		

Vernier caliper for outside grooves

6007.150 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	6007.150	0,02	0-150	outside		
	6007.200	0,02	0-200	outside		
	6007.300	0,02	0-300	outside		

Gear tooth caliper

6008 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	6008	0,02	M1-26	analog		
	6008.10	0,01	M1-25	digital		

V-anvil vernier caliper 3point/5point measurement

6009.10 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	6009.10	0,05	4-40	3 point measurement		
	6009.11	0,05	20-75	3 point measurement		
	6009.12	0,05	1-40	5 point measurement		
	6009.13	0,05	20-75	5 point measurement		

Vernier caliper with locking screw, fine adjustment ČSN 25 1230 (ČSN 25 1231), INOX, DIN 862

6015.100	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6014.100	0,02	400/100	INOX screwed nonius		
	6014.125	0,02	400/125	INOX screwed nonius		
	6014.150	0,02	400/150	INOX screwed nonius		
	6015.100	0,02	500/100	INOX screwed nonius		
	6015.125	0,02	500/125	INOX screwed nonius		
	6015.150	0,02	500/150	INOX screwed nonius		
	6015.200	0,05	500/200	INOX screwed nonius		
	6015.250	0,05	500/250	INOX screwed nonius		
	6016.100	0,02	600/100	INOX screwed nonius		
	6016.125	0,02	600/125	INOX screwed nonius		
	6016.150	0,02	600/150	INOX screwed nonius		
	6016.200	0,05	600/200	INOX screwed nonius		
	6016.300	0,05	600/300	INOX screwed nonius		
	6016.2.125	0,02	800/125	INOX screwed nonius		
	6016.2.150	0,05	800/150	INOX screwed nonius		
	6016.2.200	0,05	800/200	INOX screwed nonius		
	6017.125	0,02	1000/125	INOX screwed nonius		
	6017.150	0,05	1000/150	INOX screwed nonius		
	6017.200	0,05	1000/200	INOX screwed nonius		
	6018.150	0,05	1500/150	INOX screwed nonius		
	6018.200	0,05	1500/200	INOX screwed nonius		
	6019.150*	0,05	2000/150	INOX screwed nonius		
	6019.200*	0,05	2000/200	INOX screwed nonius		
	6019.300*	0,05	2000/300	INOX screwed nonius		
	6020.250*	0,05	2500/250	INOX screwed nonius		

Calibration certificate included. * Non standard transport.

Vernier caliper with locking screw, fine adjustment ČSN 25 1230, (ČSN 25 1231), DIN 862

6024.1.125	code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
	6024.1.125	0,02	600/125	monoblok		
	6024.2.150	0,02	800/150	monoblok		
	6024.3.150	0,05	1000/150	monoblok		

Calibration certificate included.

Vernier caliper with upper jaws, locking screw, fine adjustment ČSN 25 1233, (ČSN 25 1234), DIN 862

6022.100		code	reading in mm	range / jaws mm	frame	calibration price EUR	base price EUR
		6021.100	0,02	400/100	INOX screwed nonius		
		6021.125	0,02	400/125	INOX screwed nonius		
		6021.150	0,02	400/150	INOX screwed nonius		
		6022.100	0,02	500/100	INOX screwed nonius		
		6022.125	0,02	500/125	INOX screwed nonius		
		6022.150	0,05	500/150	INOX screwed nonius		
		6022.0.100	0,02	600/100	INOX screwed nonius		
		6022.0.125	0,02	600/125	INOX screwed nonius		
		6022.0.150	0,05	600/150	INOX screwed nonius		
		6022.1.150	0,05	800/150	INOX screwed nonius		
		6022.1.200	0,05	800/200	INOX screwed nonius		
		6022.2.150	0,05	1000/150	INOX screwed nonius		
		6023.1.150	0,05	1500/150	INOX screwed nonius		
		6023.1.200	0,05	1500/200	INOX screwed nonius		
		6023.2.150*	0,05	2000/150	INOX screwed nonius		
		6023.2.200*	0,05	2000/200	INOX screwed nonius		

Calibration certificate included. * Non standard transport.

Digital caliper NO NAME

6040		code	reading in mm	range / jaws mm		calibration price EUR	base price EUR
		6040	0,01	150/40			
		6040.200 NEW	0,01	200/50			
		6040.300 NEW	0,01	300/60			

Digital caliper solar

6040.2		code	reading in mm	range / jaws mm		calibration price EUR	base price EUR
		6040.0	0,01	100/30			
		6040.2	0,01	150/40			
		6041.2	0,01	200/50			
		6042.2	0,01	300/60			

Digital caliper, DIN 862

6040L		code	reading in mm	range / jaws mm	accuracy	calibration price EUR	base price EUR
		6040L	0,01	150/40	DIN 862		
		6041L	0,01	200/50	DIN 862		
		6042L	0,01	300/60	DIN 862		

Digital caliper (ABS), DIN 862

6040.10 	code	reading in mm	range / jaws mm	accuracy	calibration price EUR	base price EUR
	6040.10	0,01	150/40	DIN 862		
	6040.11	0,01	200/50	DIN 862		
	6040.12	0,01	300/60	DIN 862		

Digital caliper (ABS), mini USB, data output, DIN 862

6041.150 	code	reading in mm	range / jaws mm	accuracy	calibration price EUR	base price EUR
	6041.150	0,01	150/40	DIN 862		
	6041.200	0,01	200/50	DIN 862		
	6041.300	0,01	300/60	DIN 862		

Digital caliper (ABS), data output, PROFESSIONAL, IP 54, DIN 862

6042.150 	code	reading in mm	range / jaws mm	accuracy	calibration price EUR	base price EUR
	6042.100	0,01	100/40	0,02		
	6042.150	0,01	150/40	0,02		
	6042.200	0,01	200/50	0,02		
	6042.300	0,01	300/60	0,03		
6042.600 	6042.600	0,01	600/100	0,05		
	6042.1000	0,01	1000/150	0,06		

Digital caliper, BLUETOOTH, DIN 862

6042.4.150 	code	reading in mm		reading in mm	calibration price EUR	base price EUR
	6042.4.150	0,01		0-150		
	6042.4.200	0,01		0-200		
	6042.4.300	0,01		0-300		

PC INTERFACE

6040.9 	code	specification	frame	calibration price EUR	base price EUR
	6040.9	set	SERIES PROFESSIONAL		
	6040.91	set	series mini USB		
	6040.92	set	for micrometers IP65		
	6040.95	wireless connection	SERIES PROFESSIONAL		
	6040.96	set	for micrometers		



Water proof digital caliper IP 67, DIN 862

	code	reading in mm	range / jaws mm	protection	calibration price EUR	base price EUR
	6040.15	0,01	150/40	IP 67		
	6040.16	0,01	200/50	IP 67		
	6040.17	0,01	300/60	IP 67		

Water proof digital caliper IP 67, PROFESSIONAL, DIN 862

	code	reading in mm	range / jaws mm	protection	calibration price EUR	base price EUR
	6040.15.150	0,01	150/40	IP 67		
	6040.15.200	0,01	200/50	IP 67		
	6040.15.300	0,01	300/60	IP 67		

Water proof digital caliper, IP 67, BLUETOOTH, DIN 862

	code	reading in mm	range / jaws mm	protection	calibration price EUR	base price EUR
	6042.5.150	0,01	150	IP 67		
	6042.5.200	0,01	200	IP 67		
	6042.5.300	0,01	300	IP 67		

Digital caliper, TolAlarm, IP 54, DIN 862

	code	reading in mm	dimensions mm	protection	calibration price EUR	base price EUR
	6042.6.150	0,01	150	IP 54		
	6042.6.200	0,01	200	IP 54		
	6042.6.300	0,01	300	IP 54		

Water proof digital caliper, TolAlarm, IP 67, DIN 862

	code	reading in mm	dimensions mm	protection	calibration price EUR	base price EUR
	6042.7.150	0,01	150	IP 67		
	6042.7.200	0,01	200	IP 67		
	6042.7.300	0,01	300	IP 67		

Digital universal caliper, interchangeable points, IP54, DIN 862

	code	reading in mm	dimensions mm	protection	calibration price EUR	base price EUR
	6042.8.150	0,01	150	IP 54		
	6042.8.200	0,01	200	IP 54		
	6042.8.300	0,01	300	IP 54		

Digital caliper for internal grooves, DIN 862

	code	reading in mm	frame	range mm	calibration price EUR	base price EUR
	6040.51	0,01	internal	20-150		

Digital caliper for outside grooves, DIN 862

	code	reading in mm	frame	range mm	calibration price EUR	base price EUR
	6040.52	0,01	outside	0-150		

Digital caliper for internal grooves, data output, ABS, IP 54, PROFESSIONAL, DIN 862

	code	reading in mm	frame	range mm	calibration price EUR	base price EUR
	6042.1.150	0,01	internal	11-150		
	6042.1.200	0,01	internal	12-200		
	6042.1.300	0,01	internal	13-300		

Digital caliper for outside grooves, data output, ABS, IP 54, PROFESSIONAL, DIN 862

	code	reading in mm	frame	range mm	calibration price EUR	base price EUR
	6042.2.150	0,01	outside	0-150		
	6042.2.200	0,01	outside	0-200		
	6042.2.300	0,01	outside	0-300		

Digital caliper for measuring of tubes thickness, data output, ABS, IP 54, PROFESSIONAL

	code	reading in mm		range mm	calibration price EUR	base price EUR
	6042.3.150	0,01		0-150		
	6042.3.200	0,01		0-200		
	6042.3.300	0,01		0-300		

Digital caliper, DIN 862

	code	reading in mm	range / jaws mm	standard	calibration price EUR	base price EUR
	6042.9.100 NEW	0,01	400/100	ČSN	298	5 934
	6042.9.125 NEW	0,01	400/125	ČSN	298	6 514
	6042.9.150 NEW	0,01	400/150	ČSN	298	7 208
	6043.100	0,01	500/100	ČSN	298	7 679
	6043.125	0,01	500/125	ČSN	298	8 571
	6043.150	0,01	500/150	ČSN	298	9 502
	6043.2.100	0,01	600/100	ČSN	298	9 970
	6043.2.125	0,01	600/125	ČSN	298	10 496
	6043.2.150	0,01	600/150	ČSN	298	10 588
	6043.3.125	0,01	800/125	ČSN	298	12 333
	6043.3.150	0,01	800/150	ČSN	298	12 653
	6044.125	0,01	1000/125	ČSN	298	17 121
	6044.150	0,01	1000/150	ČSN	298	17 983
	6045.150	0,01	1500/150	accuracy +/- 0,11	670	27 960

Calibration certificate included.

Digital caliper with upper jaws, DIN 862

	code	reading in mm	range / jaws mm	accuracy	calibration price EUR	base price EUR
	6043.0.100	0,01 NEW	400/100	DIN 862		
	6043.0.125	0,01 NEW	400/125	DIN 862		
	6043.0.150	0,01 NEW	400/150	DIN 862		
	6043.1.100	0,01	500/100	DIN 862		
	6043.1.125	0,01	500/125	DIN 862		
	6043.1.150	0,01	500/150	DIN 862		
	6043.4.100	0,01	600/100	DIN 862		
	6043.4.125	0,01	600/125	DIN 862		
	6043.4.150	0,01	600/150	DIN 862		
	6043.5.125	0,01	800/125	DIN 862		
	6043.5.150	0,01	800/150	DIN 862		
	6044.1.125	0,01	1000/125	DIN 862		
	6044.1.150	0,01	1000/150	DIN 862		
	6045.1.150	0,01	1500/150	accuracy +/- 0,11		

Calibration certificate included.

Digital unit - horizontal type

	code	reading in mm	length mm		calibration price EUR	base price EUR
	6040.21	0,01	150			
	6040.22	0,01	200			
	6040.23	0,01	300			
	6040.24	0,01	400			
	6040.25	0,01	500			
	6040.26	0,01	600			

Digital unit - vertical type

	code	reading in mm	length mm		calibration price EUR	base price EUR
	6040.31	0,01	150			
	6040.32	0,01	200			
	6040.33	0,01	300			
	6040.34	0,01	400			
	6040.35	0,01	500			
	6040.36	0,01	600			

Spare battery

	code		type		calibration price EUR	base price EUR
	6040.1		SR44 1,55V			
	6040.011		SR41 1,55V			
	6040.01		CR2032 1,3V			

Depth base

	code	type	dimension in mm	accuracy	calibration price EUR	base price EUR
	6040.990	suitable for calipers	75x30x16			
	6040.991	suitable for calipers	50x16	0,004		
	6040.992	suitable for calipers	80x16	0,004		


Plastic caliper hobby

	code		range / jaws mm	frame	calibration price EUR	base price EUR
	6050		120/40	plast		





Outside micrometer ČSN 25 1420, DIN 863

7002		code	reading in mm	range mm		calibration price EUR	base price EUR
		7002	0,01	0-25			
		7004	0,01	25-50			
		7006	0,01	50-75			
		7008	0,01	75-100			
7011		7011	0,01	100-125			
		7013	0,01	125-150			
		7015	0,01	150-175			
		7017	0,01	175-200			
		7019	0,01	200-225			
7025.0		7021	0,01	225-250			
		7023	0,01	250-275			
		7025	0,01	275-300			
		7025.0	0,01	100-200			
		7026.0	0,01	200-300			
		7026	0,01	300-400			
		7027	0,01	400-500			
		7027.1	0,01	500-600			
		7027.2	0,01	600-700			
		7027.3	0,01	700-800			
7027		7027.4	0,01	800-900			
		7027.5	0,01	900-1000			
		7027.6*	0,01	1000-1200			
		7027.7*	0,01	1200-1400			
		7027.8*	0,01	1400-1600			
		7027.9*	0,01	1600-1800			
		7027.91*	0,01	1800-2000			

* Non standard transport.

Screw thread micrometer, DIN 863, with anvils

7028.31		code	reading in mm	range mm	anvils	calibration price EUR	base price EUR
		7028.31	0,01	0-25	7028.41-5		
		7028.32	0,01	25-50	7028.42-6		
		7028.33	0,01	50-75	7028.43-6		
		7028.34	0,01	75-100	7028.43-6		
		7028.35	0,01	100-125	7028.43-6		
		7028.36	0,01	125-150	7028.43-6		

V-shaped and knife anvils, metric thread 60°

7028.41 	code	metrický závit	size		calibration price EUR	base price EUR
	7028.41	60°	0,4-0,5 mm			
	7028.42	60°	0,6-0,9 mm			
	7028.43	60°	1-1,75 mm			
	7028.44	60°	2-3 mm			
	7028.45	60°	3,5-5 mm			
	7028.46	60°	5,5-7 mm			

Outside micrometer set 0-150 mm, DIN 863

7029.150 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7029.150	0,01	0-150			

Digital outside micrometer, DIN 863

7030 	code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
	7030	0,001	0-25	3		
	7031	0,001	25-50	3		
	7032	0,001	50-75	4		
	7033	0,001	75-100	4		
	7034	0,001	100-125	5		
	7035	0,001	125-150	5		
	7036	0,001	150-175	5		
	7037	0,001	175-200	5		
	7038.225	0,001	200-225	5		
	7038.250	0,001	225-250	5		
	7038.275	0,001	250-275	5		
	7038.300	0,001	275-300	5		

Digital outside micrometer, DIN 863, data output, IP 65

7030.025 	code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
	7030.025	0,001	0-25	3		
	7030.050	0,001	25-50	3		
	7030.075	0,001	50-75	4		
	7030.100	0,001	75-100	4		
7030.125 	7030.125	0,001	100-125	5		
	7030.150	0,001	125-150	5		

Digital outside micrometer, DIN 863, ABS, data output, rapid traverse, PROFESSIONAL, IP 65

7031.025 	code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
	7031.025	0,001	0-25	3		
	7031.050	0,001	25-50	3		
	7031.075	0,001	50-75	4		
	7031.100	0,001	75-100	4		

Digital outside micrometer, TolAlarm, IP 65, DIN 863

7032.025 	code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
	7032.025	0,001	0-25	3		
	7032.050	0,001	25-50	3		
	7032.075	0,001	50-75	4		
	7032.100	0,001	75-100	4		

Digital thickness gauge, DIN 863

7040.1 7040.2 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7040.1	0,01	0-25			
	7040.2	0,01	0-12,7			
	7040.3	0,001	0-12,7			

Tube micrometer ČSN 25 1458, DIN 863

7041 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7041	0,01	0-25			

Micrometer special inserts ČSN 25 1458, DIN 863

7002.2 	code	reading in mm	range mm	kind of inserts	calibration price EUR	base price EUR
	7002.2	0,01	0-25	spherical inserts		

Wire micrometer ČSN 25 1456

7043 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7043	0,01	0-10			

Disc micrometer ČSN 25 1472, DIN 863

7051 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7051	0,01	0-25			
	7052	0,01	25-50			
	7053	0,01	50-75			
	7054	0,01	75-100			
	7055	0,01	100-125			
	7056	0,01	125-150			
	7057	0,01	150-175			
	7058	0,01	175-200			
	7059	0,01	200-225			
	7060	0,01	225-250			
	7061	0,01	250-275			
	7062	0,01	275-300			

Digital disc micrometer, DIN 863

7070.10 	code	reading in mm	range mm	accuracy µm	calibration price EUR	base price EUR
	7070.10	0,001	0-25	4		
	7070.11	0,001	25-50	4		
	7070.12	0,001	50-75	5		
	7070.13	0,001	75-100	5		

Blade micrometer, DIN 863

7080.025 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7080.025	0,01	0-25			
	7080.050	0,01	25-50			
	7080.075	0,01	50-75			
	7080.100	0,01	75-100			
	7080.125	0,01	100-125			
	7080.150	0,01	125-150			
	7080.175	0,01	150-175			

Blade micrometer digital, DIN 863

7081.025 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7081.025	0,001	0-25			
	7081.050	0,001	25-50			
	7081.075	0,001	50-75			
	7081.100	0,001	75-100			
	7081.125	0,001	100-125			
	7081.150	0,001	125-150			
	7081.175	0,001	150-175			

Blade micrometer, DIN 863

7082.025 	code	reading in mm	range mm	angle	calibration price EUR	base price EUR
	7082.025	0,01	0-25	30°		
	7082.050	0,01	25-50	30°		
	7082.075	0,01	50-75	30°		
	7082.100	0,01	75-100	30°		

Point micrometer digital, IP 65

7083.025 	code	reading in mm	range mm	angle	calibration price EUR	base price EUR
	7083.025	0,001	0-25	30°		
	7083.050	0,001	25-50	30°		
	7083.075	0,001	50-75	30°		
	7083.100	0,001	75-100	30°		

Universal micrometer - 7 pairs of anvils included

7084.025 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7084.025	0,01	0-25			
	7084.050	0,01	25-50			
	7084.075	0,01	50-75			
	7084.100	0,01	75-100			
	7084.125	0,01	100-125			
	7084.150	0,01	125-150			
	7084.175	0,01	150-175			
	7084.200	0,01	175-200			

Universal micrometer digital – 7 pairs of anvils included

7085.025



code	reading in mm	range mm		calibration price EUR	base price EUR
7085.025	0,001	0-25			
7085.050	0,001	25-50			
7085.075	0,001	50-75			
7085.100	0,001	75-100			
7085.125	0,001	100-125			
7085.150	0,001	125-150			
7085.175	0,001	150-175			
7085.200	0,001	175-200			

Interchangeable anvils for universal micrometer

7085.901



code	specification	calibration price EUR	base price EUR
7085.901	flat		
7085.902	spherical		
7085.903	spline		
7085.904	disk		
7085.905	blade		
7085.906	point 60°		
7085.907	knife - edge 60°		
7085.908	point 55°		
7085.909	knife - edge 55°		
7085.910	Set of anvils 901, 902, 903, 904, 905, 906, 907		
7085.911	Set of anvils 901, 902, 903, 904, 905, 908, 909		

Inside micrometer ČSN 25 1430, DIN 863

7095



code	reading in mm	range mm		calibration price EUR	base price EUR
7095	0,01	5-30			
7096	0,01	25-50			
7097	0,01	50-75			
7098	0,01	75-100			
7098.1	0,01	100-125			
7098.2	0,01	125-150			
7098.3	0,01	150-175			
7098.4	0,01	175-200			
7098.5	0,01	200-225			
7098.6	0,01	225-250			
7098.7	0,01	250-275			
7098.8	0,01	275-300			



Dual measuring jaws inside micrometer, DIN 863

7095.055 	code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
	7095.055	0,01	5-30-55	6		

Saw tooth indicator

7099 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7099	0,1	0-2			

Internal micrometer – jaw type, DIN 863

7100.10 	code	reading in mm/frame	range mm	accuracy μm	calibration price EUR	base price EUR
	7100.10	0,001 + setting ring*	5-30	4		
	7100.11	0,001 + setting ring*	25-50	4		
	7100.12	0,001 without sett. ring	50-75	5		
	7100.13	0,001 without sett. ring	75-100	5		

Bigger sizes of micrometers are available upon request.

3-point internal micrometer set with setting rings, DIN 863

7089.1 	code	reading in mm	range mm	set	calibration price EUR	base price EUR
	7089.1	0,005	6-12	contains: 6-8, 8-10, 10-12; setting ring: 8, 10		
	7089.2	0,005	11-20	contains: 11-14, 14-17, 17-20; setting ring: 11, 17		
	7089.3	0,005	20-40	contains: 20-25, 25-30, 30-35, 35-40; set. ring: 25, 35		
	7089.4	0,005	40-100	contains: 40-50, 50-60, 60-70, 70-80, 80-90, 90-100; set. ring: 50, 70, 90		

3-point internal micrometer, DIN 863

7089.409.3



code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
7089.404	0,005	6-8 inc.set.ring 8mm	4		
7089.405	0,005	8-10 inc.set.ring 8mm	4		
7089.406	0,005	10-12 inc.set.ring 10mm	4		
7089.407	0,005	11-14 inc.set.ring 11mm	4		
7089.408	0,005	14-17 inc.set.ring 17mm	4		
7089.409	0,005	17-20 inc.set.ring 17mm	4		
7089.409.1	0,005	20-25 inc.set.ring 25mm	4		
7089.409.2	0,005	25-30 inc.set.ring 25mm	4		
7089.409.3	0,005	30-35 inc.set.ring 30mm	4		
7089.409.4	0,005	35-40 inc.set.ring 35mm	4		
7089.409.5	0,005	40-50 inc.set.ring 40mm	4		
7089.41	0,005	50-60 inc.set.ring 50mm	5		
7089.42	0,005	60-70 inc.set.ring 60mm	5		
7089.420	0,005	70-80 inc.set.ring 70mm	5		
7089.43	0,005	80-90 inc.set.ring 80mm	5		
7089.44	0,005	90-100 inc.set.ring 90mm	5		

3-point internal micrometer, DIN 863

7089.50



code	reading in mm	range mm	accuracy μm	calibration price EUR	base price EUR
7089.50	0,005	100-125	6		
7089.51	0,005	125-150	6		
7089.52	0,005	150-175	7		
7089.53	0,005	175-200	7		
7089.54	0,005	200-225	8		
7089.55	0,005	225-250	8		
7089.56	0,005	250-275	9		
7089.57	0,005	275-300	9		

Digital 3points internal micrometer – set, DIN 863

7090.1



code	reading in mm	range mm	no. of heads+ setting rings	calibration price EUR	base price EUR
7090.1	0,001	6-12	3pcs + 2pcs		
7090.2	0,001	12-20	2pcs + 1pcs		
7090.3	0,001	20-50	4pcs + 2pcs		
7090.4	0,001	50-100	4pcs + 2pcs		

Digital 3points micrometer, DIN 863

7090.050		code	reading in mm	range mm	accuracy µm	calibration price EUR	base price EUR
		7090.008	0,001	6-8	4		
		7090.010	0,001	8-10	4		
		7090.012	0,001	10-12	4		
		7090.016	0,001	12-16	4		
		7090.020	0,001	16-20	4		
		7090.025	0,001	20-25	4		
		7090.030	0,001	25-30	4		
		7090.040	0,001	30-40	4		
		7090.050	0,001	40-50	4		
		7090.063	0,001	50-63	5		
		7090.075	0,001	62-75	5		
		7090.088	0,001	75-88	5		
		7090.100	0,001	87-100	5		

Setting ring included.

Digital 3points internal micrometer, DIN 863

7090.50		code	reading in mm	range mm	accuracy µm	calibration price EUR	base price EUR
		7090.50	0,001	100-125	6		
		7090.51	0,001	125-150	6		
		7090.52	0,001	150-175	7		
		7090.53	0,001	175-200	7		

Dial bore gauge with dial indicator, DIN 863

7110.0		code	reading in mm	range mm	frame	calibration price EUR	base price EUR
		7110.0	0,01	6-10/40	analog		
		7110.1	0,01	10-18/100	analog		
		7110.2	0,01	18-35/150	analog		
		7110.3	0,01	35-50/150	analog		
		7110.4	0,01	50-100/150	analog		
		7110.5	0,01	50-160/150	analog		
		7110.6	0,01	100-250/250	analog		
		7110.7	0,01	250-450/250	analog		
		7110.8	0,01	450-700/500	analog		
		7110.3.0,5	0,01	35-50/500	analog		
		7110.4.0,5	0,01	50-100/500	analog		
		7110.5.0,5	0,01	50-160/500	analog		

Dial bore gauge with analog indicator, DIN 863

7110.3.0,5



code	reading in mm	range mm	frame	calibration price EUR	base price EUR
7110.6.0,5	0,01	160-250/500	analog		
7110.7.0,5	0,01	250-450/500	analog		
7110.3.1,0	0,01	35-50/1000	analog		
7110.4.1,0	0,01	50-100/1000	analog		
7110.5.1,0	0,01	50-160/1000	analog		
7110.6.1,0	0,01	160-250/1000	analog		
7110.7.1,0	0,01	250-450/1000	analog		

Dial bore gauge with digital indicator, DIN 863

7110.80



code	reading in mm	range mm	frame	calibration price EUR	base price EUR
7110.80	0,002	6-10/40	digital		
7110.81	0,002	10-18/100	digital		
7110.82	0,002	18-35/150	digital		
7110.83	0,002	35-50/150	digital		
7110.84	0,002	50-100/150	digital		
7110.85	0,002	50-160/150	digital		
7110.86	0,002	100-250/250	digital		
7110.87	0,002	250-400/250	digital		

Dial bore gauge set with dial indicator, DIN 863

7110.92



code	reading in mm	range mm	frame	calibration price EUR	base price EUR
7110.90	0,001	6-10/40	analog		
7110.91	0,001	10-18/100	analog		
7110.92	0,001	18-35/150	analog		
7110.93	0,001	35-50/150	analog		
7110.94	0,001	50-160/150	analog		
7110.95	0,001	160-250/250	analog		

Digital gauge available on request.

Dial bore gauge set with dial indicator, DIN 863

7110.300



code	reading in mm	range mm	frame	calibration price EUR	base price EUR
7110.100	0,01	30-150	analog		
7110.300	0,01	100-300	analog		

Indicator snap micrometer, DIN 863

7126 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7126	0,001	0-25			
	7126.1	0,001	25-50			
	7126.2	0,001	50-75			
	7126.3	0,001	75-100			

Indicator snap micrometer – professional, DIN 863

7127.025 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7127.025	0,001	0-25			
	7127.050	0,001	25-50			
	7127.075	0,001	50-75			
	7127.100	0,001	75-100			

Depth micrometer ČSN 25 1442, DIN 863

7103 	code	reading in mm	range mm	frame	calibration price EUR	base price EUR
	7103	0,01	0-100	analog		
	7104	0,01	0-100	digital		

Micrometer head, DIN 863

7120 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7120	0,01	0-25			

Internal micrometer ČSN 25 1438, DIN 863

7125 	code	reading in mm	range mm		calibration price EUR	base price EUR
	7125.0	0,01	50-63			
	7125	0,01	50-600			
	7125.3	0,01	150-2500			


Length of extensions: 13, 25, 50, 100, 150, 200mm. Separately are available upon request.





Folding rules, steel tapes, long tapes

Steel tape „KMITEK“ ČSN - 25 1141 (ČSN 25 1146)

8001 	code	class	length m	width mm	calibration price EUR	base price EUR
	8001	2	2	13		
	8002	2	3	13		
	8003	2	5	16		

Recommended for ISO standard certificate.

Steel tape Komelon ProErgo

8040.1 	code	class	length m	width mm	calibration price EUR	base price EUR
	8040.1	2	2	16		
	8040.2	2	3	16		
	8040.3	2	5	19		
	8040.4	2	8	25		

Steel tape Komelon ECO PEN

8033.11 	code	class	length m	width mm	calibration price EUR	base price EUR
	8033.11	2	3	16		
	8033.12	2	5	19		
	8033.13	2	8	25		

Steel tape Trimatic class I.

8005.11 	code	class	length m	width mm	calibration price EUR	base price EUR
	8005.11	1	3	13		
	8005.12	1	5	19		
	8005.13	1	8	25		
	8005.14	1	10	25		

Steel tape Assist 32GM, rubber case, autostop, stop release, with magnet

8034.10 	code	class	length m	width mm	calibration price EUR	base price EUR
	8034.10	2	2	16		
	8034.11	2	3	16		
	8034.12	2	5	19		

Steel tape Assist 32GM, rubber case, autostop, stop release, with magnet

8035.11 	code	class	length m	width mm	calibration price EUR	base price EUR
	8035.11	2	3	19		
	8035.12	2	5	19		
	8035.13	2	7,5	25		

Steel tape Assist Magny, rubber case, autostop, stop release, antiabrasive nylon coating

8037.11 	code	class	length m	width mm	calibration price EUR	base price EUR
	8037.11	2	3	19		
	8037.12	2	5	25		
	8037.13	2	7,5	25		



Steel tape Assist Plus

8044.12 	code	class	length m	width mm	calibration price EUR	base price EUR
	8044.11	with magnet on hook	3	16		
	8044.12	with magnet on hook	5	19		
	8044.13	with magnet on hook	7,5	25		
	8044.14	with magnet on hook	10	25		

Steel tape Festa

8002.10 	code	class	length m	width mm	calibration price EUR	base price EUR
	8002.10	2	3	13		
	8002.11	sticky tape 3M	price for 1 m of tape	13		

Steel tape with graduation for machines

8002.51 	code	class	length m	width mm	calibration price EUR	base price EUR
	8002.51	2	1	13		
	8002.52	2	2	13		
	8002.53	2	3	13		
	8002.55	2	5	13		

Circumference tape

8005 8005.1 	code	class	length m	width mm	calibration price EUR	base price EUR
	8005		2	10		
	8005.1		3	10		

Steel tape Johnney

8040 	code	class	length m	width mm	calibration price EUR	base price EUR
	8040	2	2	13		
	8041	2	3	13		
	8042	2	5	13		
	8043	2	7,5	19		

Long steel tape „KMITEK“ ČSN 25 1150

8011 	code	class	length m	width mm	calibration price EUR	base price EUR
	8010	2	10	13		
	8011	2	20	13		
	8012	2	25	13		
	8013	2	30	13		
	8014	2	50	13		

Recommended for ISO standard certificate.

Long steel tape with handle „KMITEK“ ČSN 25 1151

8020 	code	class	length m	width mm	calibration price EUR	base price EUR
	8017	2	10	13		
	8018	2	20	13		
	8019	2	25	13		
	8020	2	30	13		
	8021	2	50	13		

Recommended for ISO standard certificate.

Long steel tape with handle „KMITEK“, with hook

8017D 	code	class	length m	width mm	calibration price EUR	base price EUR
	8017D NEW	2	10	13		
	8018D NEW	2	20	13		
	8019D NEW	2	25	13		
	8020D NEW	2	30	13		
	8021D NEW	2	50	13		

Recommended for ISO standard certificate.

Long steel tape class I.

8010.10 	code	class	length m	width mm	calibration price EUR	base price EUR
	8010.10	1	10	13		
	8011.10	1	20	13		
	8013.10	1	30	13		
	8014.10	1	50	13		

Long steel tape PAR

8051 	code	class	length m	width mm	calibration price EUR	base price EUR
	8051	2	20	10		
	8052	2	30	10		
	8053	2	50	10		

Fiberglass long tape Komelon

8047 	code	class	length m	width mm	calibration price EUR	base price EUR
	8045	2	10	13		
	8046	2	20	13		
	8047	2	30	13		
	8048	2	50	13		

Fiberglass long tape with han Komelon

8054.0 	code	class	length m	width mm	calibration price EUR	base price EUR
	8054.0	2	30	13		
	8054.1	2	50	13		
	8054	2	100	13		

Long steel tape Komelon

8055 	code	class	length m	width mm	calibration price EUR	base price EUR
	8055	2	10	10		
	8055.1	2	20	10		
	8055.2	2	30	10		

Measuring wheel - PROFESSIONAL

8057.3 	code	class	length m	width mm	calibration price EUR	base price EUR
	8057.3 NEW	analog / 9999,9m	320		488	2 310

Telescopic measuring staff

1054 	code	class	length m	width mm	calibration price EUR	base price EUR
	1054		3			
	1055		5			
	1056		8			

Wooden folding rule 1m ČSN 25 1135

8060 	code	class	length m	width mm	calibration price EUR	base price EUR
	8060	with steel locks	1	16		

Wooden folding rule 2m ČSN 25 1135

8065 	code	class	length m	width mm	calibration price EUR	base price EUR
	8065	with steel locks	2	16		

Laser distance meter SW-E

9041.40



code		distance m	accuracy mm / 1m	calibration price EUR	base price EUR
9041.40		40	+/- 2,0		
9041.60		60	+/- 2,0		
9041.80		80	+/- 2,0		
9041.100		100	+/- 2,0		

Crossing laser

9042.10



code		distance m	accuracy mm / 1m	calibration price EUR	base price EUR
9042.10		10	+/- 3 mm / 10 m		

Rotate laser SP200

9040.11



code		distance m	accuracy mm / 1m	calibration price EUR	base price EUR
9040.11		0,5-200	+/- 1,5 mm/m		

Tipod Professional with level adjustment

9040.13



code	frame			calibration price EUR	base price EUR
9040.13	aluminium				

Tripod for cross laser liner up to 2,5 m

9040.15



code				calibration price EUR	base price EUR
9040.15					
9040.17					

Automatic level AT24 „K“

9050.20



code			accuracy mm/km	calibration price EUR	base price EUR
9050.20			2,5		

Levelling staff 4m with vial

9050.85



code		length m		calibration price EUR	base price EUR
9050.85		5			



Setting ring, DIN 2550C

90633



code		specification		calibration price EUR	base price EUR
90601		3mm			
90602		3,5mm			
90603		4mm			
90604		4,5mm			
90605		5mm			
90606		6mm			
90607		7mm			
90608		8mm			
90609		9mm			
90610		10mm			
90611		11mm			
90612		12mm			
90613		12,5mm			
90614		13mm			
90615		14mm			
90616		15mm			
90617		16mm			
90618		17mm			
90619		17,5mm			
90620		18mm			
90621		19mm			
90622		20mm			
90623		22mm			
90624		24mm			
90625		25mm			
90626		26mm			
90627		28mm			
90628		30mm			
90629		32mm			
90630		34mm			
90630A		35mm			
90631		36mm			
90632		38mm			
90633		40mm			
90634		42mm			
90635		44mm			

Plug gauge, DIN 7162, DIN 7164

90633



code		specification		calibration price EUR	base price EUR
90636		45mm			
90637		46mm			
90638		50mm			
90639		55mm			
90640		60mm			
90641		65mm			
90642		70mm			
90643		75mm			
90644		80mm			
90645		85mm			
90646		90mm			
90647		95mm			
90648		100mm			
90649		125mm			
90649.1		150mm			
90650		175mm			
90650.1		200mm			
90651		225mm			
90651.2		250mm			
90652		275mm			

Plug gauge DIN 7162, DIN 7164

90663



code	frame	specification		calibration price EUR	base price EUR
90653		2 H 7			
90654		3 H 7			
90655		4 H 7			
90656		5 H 7			
90657		6 H 7			
90658		7 H 7			
90659		8 H 7			
90660		9 H 7			
90661		10 H 7			
90662		11 H 7			
90663		12 H 7			
90664		13 H 7			
90665		14 H 7			
90666		15 H 7			
90667		16 H 7			
90668		17 H 7			
90669		18 H 7			
90670		19 H 7			

Plug gauge DIN 7162, DIN 7164

90663						calibration price EUR	base price EUR
	code	frame	specification				
	90671		20 H 7				
	90672		21 H 7				
	90673		22 H 7				
	90674		23 H 7				
	90675		24 H 7				
	90676		25 H 7				
	90677		26 H 7				
	90678		27 H 7				
	90679		28 H 7				
	90680		30 H 7				
	90681		32 H 7				
	90682		33 H 7				
	90683		34 H 7				
	90684		35 H 7				
	90685		36 H 7				
	90686		37 H 7				
	90687		38 H 7				
	90688		40 H 7				
	90689		42 H 7				
	90690		44 H 7				
	90691		45 H 7				
	90692		46 H 7				
	90693		47 H 7				
	90694		48 H 7				
	90695		50 H 7				
	90696		52 H 7				
	90697		55 H 7				
	90698		60 H 7				
	90699		65 H 7				
	90700		70 H 7				
	90701		75 H 7				
	90702	pair	80 H 7				
	90703	pair	85 H 7				
	90704	pair	90 H 7				
	90705	pair	95 H 7				
	90706	pair	100 H 7				



Thread plug gauge GO / NOGO, DIN 13

90716



code		specification		calibration price EUR	base price EUR
90707		M2-6H			
90708		M2,5-6H			
90709		M3-6H			
90710		M3,5-6H			
90711		M4-6H			
90712		M5-6H			
90713		M6-6H			
90714		M8-6H			
90715		M10-6H			
90716		M12-6H			
90717		M14-6H			
90718		M16-6H			
90719		M18-6H			
90720		M20-6H			
90721		M22-6H			
90722		M24-6H			
90723		M27-6H			
90724		M30-6H			
90725		M33-6H			
90726		M36-6H			
90727		M42-6H			
90728		M45-6H			
90729		M48-6H			

Thread plug gauge GO/NOGO, pipe thread G


91000.025



code		specification		calibration price EUR	base price EUR
91000.014		M8x0,5-6H			
91000.015		M8x0,75-6H			
91000.016		M8x1,0-6H			
91000.018		M10x0,5-6H			
91000.019		M10x0,75-6H			
91000.020		M10x1,0-6H			
91000.021		M10x1,25-6H			
91000.022		M12x0,5-6H			
91000.023		M12x0,75-6H			
91000.024		M12x1,0-6H			
91000.025		M12x1,25-6H			
91000.026		M12x1,5-6H			
91000.030		M14x0,5-6H			
91000.031		M14x0,75-6H			
91000.032		M14x1,0-6H			

Thread plug gauge GO/NOGO DIN 13

91000.025



code		specification		calibration price EUR	base price EUR
91000.033		M14x1,25-6H			
91000.034		M14x1,5-6H			
91000.038		M16x0,75-6H			
91000.039		M16x1,0-6H			
91000.040		M16x1,5-6H			
91000.043		M18x0,75-6H			
91000.044		M18x1,0-6H			
91000.045		M18x1,5-6H			
91000.046		M18x2,0-6H			
91000.047		M20x0,75-6H			
91000.048		M20x1,0-6H			
91000.049		M20x1,5-6H			
91000.050		M20x2,0-6H			
91000.051		M22x1,0-6H			
91000.052		M22x1,5-6H			
91000.053		M22x2,0-6H			
91000.054		M24x1,0-6H			
91000.055		M24x1,5-6H			
91000.056		M24x2,0-6H			
91000.063		M27x1,0-6H			
91000.064		M27x1,5-6H			
91000.065		M27x2,0-6H			
91000.069		M30x1,0-6H			
91000.070		M30x1,5-6H			
91000.071		M30x2,0-6H			
91000.073		M32x1,5-6H			
91000.074		M32x2,0-6H			
91000.075		M33x1,0-6H			
91000.076		M33x1,5-6H			
91000.077		M33x2,0-6H			
91000.079		M34x1,0-6H			
91000.080		M34x1,5-6H			
91000.081		M34x2,0-6H			
91000.083		M35x1,0-6H			
91000.084		M35x1,5-6H			
91000.085		M35x2,0-6H			
91000.087		M36x1,0-6H			
91000.088		M36x1,5-6H			
91000.089		M36x2,0-6H			
91000.090		M36x3,0-6H			
91000.091		M38x1,0-6H			
91000.092		M38x1,5-6H			

Thread plug gauge GO/NOGO DIN 13

91000.025	code		specification		calibration	base price
					price EUR	EUR
	91000.093		M38x2,0-6H			
	91000.094		M38x3,0-6H			
	91000.095		M39x1,0-6H			
	91000.096		M39x1,5-6H			
	91000.097		M39x2,0-6H			
	91000.098		M39x3,0-6H			
	91000.099		M40x1,0-6H			
	91000.100		M40x1,5-6H			
	91000.101		M40x2,0-6H			
	91000.102		M40x3,0-6H			
	91000.103		M42x1,0-6H			
	91000.104		M42x1,5-6H			
	91000.105		M42x2,0-6H			
	91000.106		M42x3,0-6H			
	91000.107		M44x1,0-6H			
	91000.108		M44x1,5-6H			
	91000.109		M45x1,0-6H			
	91000.110		M45x1,5-6H			
	91000.111		M45x2,0-6H			
	91000.112		M45x3,0-6H			
	91000.113		M46x1,0-6H			
	91000.114		M46x1,5-6H			
	91000.115		M48x1,0-6H			
	91000.116		M48x1,5-6H			
	91000.117		M48x2,0-6H			
	91000.118		M48x3,0-6H			
	91000.119		M50x1,0-6H			
	91000.120		M50x1,5-6H			
	91000.121		M50x2,0-6H			

Thread plug gauge GO/NOGO, pipe thread G

91106	code		specification		calibration	base price
					price EUR	EUR
	91102		G 1/8"			
	91103		G 1/4"			
	91104		G 3/8"			
	91105		G 1/2"			
	91106		G 5/8"			
	91107		G 3/4"			
	91108		G 7/8"			
	91109		G 1"			
	91110		G 1 1/8"			



Thread plug gauge GO/NOGO, pipe thread G

91106




code		specification		calibration price EUR	base price EUR
91111		G 1 1/4"			
91112		G 1 1/2"			
91113		G 1 3/4"			
91114		G 2"			

Thread ring gauge GO

90736



code		specification		calibration price EUR	base price EUR
90730		pr. M2-6g			
90731		pr. M2,5-6g			
90732		pr. M3-6g			
90733		pr. M3,5-6g			
90734		pr. M4-6g			
90735		pr. M5-6g			
90736		pr. M6-6g			



Thread ring gauge GO

90736



code		specification		calibration price EUR	base price EUR
90737		pr. M8-6g			
90738		pr. M10-6g			
90739		pr. M12-6g			
90740		pr. M14-6g			
90741		pr. M16-6g			
90742		pr. M18-6g			
90743		pr. M20-6g			
90744		pr. M22-6g			
90745		pr. M24-6g			
90746		pr. M27-6g			
90747		pr. M30-6g			
90748		pr. M33-6g			
90749		pr. M36-6g			
90750		pr. M42-6g			
90751		pr. M45-6g			
90752		pr. M48-6g			

Thread ring gauge NOGO

90759



code		specification		calibration price EUR	base price EUR
90753		pr. M2-6g			
90754		pr. M2,5-6g			
90755		pr. M3-6g			
90756		pr. M3,5-6g			
90757		pr. M4-6g			
90758		pr. M5-6g			
90759		pr. M6-6g			
90760		pr. M8-6g			
90761		pr. M10-6g			
90762		pr. M12-6g			
90763		pr. M14-6g			
90764		pr. M16-6g			
90765		pr. M18-6g			
90766		pr. M20-6g			
90767		pr. M22-6g			
90768		pr. M24-6g			
90769		pr. M27-6g			
90770		pr. M30-6g			
90771		pr. M33-6g			
90772		pr. M36-6g			
90773		pr. M42-6g			
90774		pr. M45-6g			
90775		pr. M48-6g			

Thread ring gauge - GO, pipe thread G

91202



code		specification		calibration price EUR	base price EUR
91202		G 1/8"			
91203		G 1/4"			
91204		G 3/8"			
91205		G 1/2"			
91206		G 5/8"			
91207		G 3/4"			
91208		G 7/8"			
91209		G 1"			
91210		G 1 1/8"			
91211		G 1 1/4"			
91212		G 1 1/2"			
91213		G 1 3/4"			
91214		G 2"			

Thread ring gauge – NOGO, pipe thread G

91202Z 	code		specification		calibration price EUR	base price EUR
	91202Z		G 1/8"			
	91203Z		G 1/4"			
	91204Z		G 3/8"			
	91205Z		G 1/2"			
	91206Z		G 5/8"			
	91207Z		G 3/4"			
	91208Z		G 7/8"			
	91209Z		G 1"			
	91210Z		G 1 1/8"			
	91211Z		G 1 1/4"			
	91212Z		G 1 1/2"			
	91213Z		G 1 3/4"			
	91214Z		G 2"			

Thread plug gauges – set, DIN 13

91400.312 	code	frame 6 H		specification	calibration price EUR	base price EUR
	91400.312	M3,M4,M5,M6,M8,M10,M12		6 H		

Plug gauges – set, DIN 7162 / 7164

91500.312 	code	frame H 7		specification	calibration price EUR	base price EUR
	91500.312	pr. 3, 4, 5, 6, 8, 10, 12		H 7		

Thread ring gauge GO – set DIN 13

91600.312 	code	frame		specification	calibration price EUR	base price EUR
	91600.312	M3,M4,M5,M6,M8,M10,M12		6 g		

Thread ring gauge NOGO – set DIN 13

91700.312 	code	frame		specification	calibration price EUR	base price EUR
	91700.312	M3,M4,M5,M6,M8,M10,M12		6 g		

Date of issue 1. 1. 2023

Photos are for informational purposes only and may be different from the actual design.
Misprints are reserved.

Pro Export Plus

V Korytech 3234/18a
Praha 10 100 00
Czech Republic
proexport@proexport.cz

